

# SPECIFICATIONS

		2.0i-L	2.0i-L EyeSight	etrical AWD (All-Wheel Drive) 2.0i-S EyeSight	2.0i-S EyeSight
tem			2.0L Direct Injection		2.0L Direct Injection + Motor (e-BO)
				Lineartronic	
ine					
rpe			Horizontally oppo	osed, 4-cylinder, 4-stroke, petrol engine DOHC 16-valve	
pre/Stroke	mm			84.0 × 90.0	
apacity	сс			1995	
ompression ratio				12.5	
iel system				Direct fuel Injection	
el tank capacity	lit.		63		48
fomance					
ax. output (DIN)	kW (PS) /rpm		115 (156) / 6,000		110 (150) / 5,800-6,000
ax. torque (DIN)	Nm (kgfm) /rpm			196 (20.0) / 4,000	
ax. speed	km/h		198		199
celeration (0-100 km/h)	sec.			10.5	
	Urban lit./100 km		9.4		7.4
el consumption*1	Extra-urban lit./100 km			6.0	
	Combined lit./100 km		7.2		6.5
	Urban g/km		214		169
D2 emissions*1	Extra-urban g/km			136	
	Combined g/km		165		147
or					
pe			-		3 aspect alternating current synchronous motor
ax. output	kW (PS)		_		12.3 (16.7)
ax. torque	Nm (kgfm)		-		66 (6.7)
tion Battery					
pe			-		Lithium Ion battery
ted Voltage	V		_		118.4
ted Capacity	Ah		-		4.8
retrain					
-Wheel Drive type			Activ	re Torque Split AWD system	
ensions & weight					
verall length	mm			4480	
verall width	mm			1800	
verall height	mm			1600	
neelbase	mm			2670	
ack	Front mm			1555	
	Rear mm			1555	
nimum road clearance (at kerb weight)	mm			220	
rgo volume*²	lit.		1278	1261*3	1297*3
ating capacity	persons			5	
rb weight	kg	1484	1487	1519	1612
smission					
	Drange		4.066 - 0.503		3.601-0.513
	1st		4.066 (Manual mode)		3.553 (Manual mode)
	2nd		2.628 (Manual mode)		2.201 (Manual mode)
	3rd		1.911 (Manual mode)		1.474 (Manual mode)
ar ratio	4th		1.535 (Manual mode)		1.228 (Manual mode)
	5th		1.195 (Manual mode)		1.024 (Manual mode)
	6th		0.914(Manual mode)		0.852 (Manual mode)
	7th		0.717 (Manual mode)		0.682 (Manual mode)
	8th		0.559 (Manual mode)		-
	Reverse		4.379		3.689
al drive axle ratio			3.900		3.700
sis					
ering				ion, electric power steering system	
spension (4-wheel independent)	Front			MacPherson strut type	
· · · · · · · · · · · · · · · · · · ·	Rear			Double wishbone type	
	m			5.4	
nimum turning circle at tyre (radius)					
nimum turning circle at tyre (radius) akes	Front Rear			Ventilated disc brakes Ventilated disc brakes	

\*1 Fuel consumption and CO2 emissions: according to UN R101-01. \*2 Measured by VDA (V214). \*3 With Sunroof.

Vehicle kerb weight varies according to the types of optional equipment included. Specification data and model lineup may vary according to market.

# STANDARD AND OPTIONAL FEATURES

		2.0i-L EyeSight	2.0i-S EyeSight	2.0i-S EyeSight
Item		2.0L Direct Injection		
Exterior			_	
Auto On/Off Headlamps	•	•	•	•
LED Headlamps with Manual-leveliser	•	•	-	-
LED Headlamps with Auto-leveliser	-	-	٠	•
Pop-up Type Headlamp Washers		٠	٠	•
LED Front Fog Lamps		-	•	•
LED Rear Fog Lamp	•	٠	٠	•
Power-folding Door Mirrors (dark grey)	-	-	•	•
Power-folding Door Mirrors (black)	•	٠	-	-
UV Protection Glass: Front and Rear Side Windows, Rear Quarters and Rear Window	-	•	•	•
UV Protection Glass: Windshield and Front Side Windows	•	-	OP	-
Privacy Glass for Rear Side Windows, Rear Quarters and Rear Window	•	-	OP	-
Automatic Rain-sensing Windshield Wipers	•	٠	٠	•
17-inch Aluminium-alloy Wheels (dark metallic)	•	٠	-	-
18-inch Aluminium-alloy Wheels (machined)	-	-	٠	•
Side Claddings with Front and Rear Air Outlets	•	٠	•	•
Power-sliding, Tilt-adjustable Glass Sunroof	-	-	•	•
Roof Rails (dark grey)	-	-	•	•
Roof Rails (black)	•	٠	-	-
Roof Spoiler	•	٠	•	•

#### Standard on all models:

LED Rear Combination Lamps • Variable Intermittent Windshield Wipers
 Intermittent Rear Window Wiper • Shark Fin Antenna (black)

## - miermitient Ke

-	٠	•	٠
-	٠	•	٠
•	•	-	-
-	-	•	٠
•	•	-	-
-	-	•	٠
•	•	•	٠
•	٠	•	٠
•	٠	•	٠
•	٠	•	٠
•	٠	-	-
		- 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0	

\*1 185/65R17 tyre.

\*2 Driver's and passenger's side front window has auto up/down function with pinch protection. \*3 Apple CarPlay is a trademark of Apple Inc., registered in the U.S. and other countries. \*4 Android and Android Auto are trademarks of Google Inc.

\*5 Apple CarPlay and/or Android Auto may not be available for all models and regions.

		2.0i-L EyeSight	2.0i-S EyeSight	2.0i-S EyeSight
ltem	2.0L Direct Injection		2.0L Direct Injection + Motor (e-BOXER)	
Vanity Mirror with Cover and Lights (driver and front passenger)	-	-	•	•
Rear Seat Centre Armrest with 2 Cup Holders	-	-	•	•
Cargo Net Hooks (x2)	•	•	•	-
Cargo Net Hooks (x4)	-	-	-	•
Storage Box (under cargo floor)	-	-	-	•
Temporary Spare Tyre*1	٠	•	٠	-
Tyre Repair Kit	-	-	-	•

#### Standard on all models:

- Power Windows<sup>\*2</sup> Remote Control Key System Welcome Lighting
  One-touch Lane Change Signal Map Lights
- Centre Console Ambient Light
  Centre Console Box
- 2 Front Cup Holders (in centre console)
- Door Pockets with Bottle Holders (on all side doors)
- 12-volt Centre Console Panel Power Outlet
- Cargo Area Bag Hooks (x2)
  Retractable Cargo Cover

Climate Control				
Dual-zone Automatic Air-conditioning System	•	•	•	•
Voice-controlled Air-conditioning		•	•	•
Electric Rear Window Defogger with Timer	•	•	•	٠
Entertainment				
11.6-inch Full HD Display Audio System with 6 Speakers	•	•	•	•
11.6-inch Full HD Display Audio System with Navigation and 6 Speakers	-	-	OP	-
Apple CarPlay*3 / Android Auto*4 Infotainment System*5	•	•	•	•
Steering Wheel-mounted Audio Remote Control Switches	٠	٠	•	٠
Voice Recognition System	•	•	•	•
Bluetooth®** Audio Streaming and Hands-free Phone Connectivity	•	•	•	•
USB Ports (Type-A and C) and Auxiliary Audio Input Jack (in centre panel)	•	•	•	•
USB Type-A and C Power Ports behind Centre Console Box	-	-	•	•
Wireless Charger*7 (instrument panel centre tray)		-	•	•
Control / Instruments				
Dual-gauge Layout with 4.2-inch Full-colour LCD Display	•	•	•	•
Tilt-adjustable / Telescopic Steering Wheel	٠	٠	•	٠
Paddle Shifters	•	•	•	•
Cruise Control	•	•	•	•
Aluminium Pedals	-	-	•	•

\*6 Bluetooth is a registered trademark of Bluetooth SIG, Inc. America.

\*7 Qi wireless charging may not be compatible with all mobile phones.

\*8 Available with 2-mode SI-DRIVE (Intelligent Mode, Sport Mode).

\*9 SRS: Supplemental Restraint System. Effective when used in conjunction with seatbelts.

	2.0i-L	2.0i-L EyeSight	2.0i-S EyeSight	2.0i-S EyeSight
Item		2.0L Direct Injection		2.0L Direct Injection + Motor (e-BOXER)
Drivability	_	_	_	_
SI-DRIVE (SUBARU Intelligent Drive)*8	•	•	•	•
X-MODE	•	•	-	-
Dual-function X-MODE	-	-	•	•
Hill Descent Control	•	•	•	•
Auto Vehicle Hold	•	•	•	•
Auto Start Stop	•	•	•	•
Active Torque Vectoring	•	•	•	•
Vehicle Dynamics Control System	•	•	•	•
Electronic Parking Brake	•	•	٠	٠
EyeSight				
Pre-Collision Braking System	-	•	•	•
Autonomous Emergency Steering	-	•	٠	•
Adaptive Cruise Control	-	•	•	•
Lane Centring Control and Preceding Vehicle Adaptive Steering Control	-	•	•	•
Lane Departure Prevention	-	•	٠	•
Pre-Collision Throttle Management	-	•	٠	•
Lead Vehicle Start Alert	-	•	•	•
Safety				
Front SRS* <sup>9</sup> Airbags	•	•	•	•
Front Side SRS* <sup>9</sup> Airbags (driver and front passenger)	•	•	٠	•
Curtain SRS* <sup>9</sup> Airbags (front and rear, both sides)	•	•	•	•
Knee SRS* <sup>9</sup> Airbag (driver)	•	•	٠	•
Seat Cushion SRS* <sup>9</sup> Airbag (front passenger)	•	•	•	•
Steering Responsive Headlights (SRH)	-	-	٠	•
LED Cornering Lamps	-	-	•	•
High Beam Assist (HBA)	-	-	٠	•
Reverse Automatic Braking (RAB)	-	•	•	•
Automatic Anti-dazzle Rear View Mirror	-	-	٠	•
Rear View Camera	•	•	•	•
Seatbelt Indicator	•	•	•	•

### Standard on all models:

• Height-adjustable Seatbelt Anchors (driver and front passenger)

- Locking-tongue Front Seatbelts with Pretensioners and Load Limiters
- Rear 3-point Seatbelts for 3 Seating Positions and Locking-tongue with Pretensioners
- 4-wheel Antilock Braking System (ABS) Brake Assist System
- Brake Override
  ISO-FIX Adapted Child Seat Anchors (with tether anchors)
- Child-proof Rear Door Locks (both sides) Engine Immobiliser

```
• : Standard OP : Option
```

Standard and optional features, model lineup may vary according to market. Please contact your local authorised Subaru retailer for more details.

SUBARU CORPORATION 24SS GXE9 2022.12