



FORESTER |

SPECIFICATIONS

| Item                                    |             |                       | Symmetrical AWD (All-Wheel Drive)                         |                 |        |                 |                       |   |
|---|-------------|-----------------------|---|-----------------|--------|-----------------|-----------------------|---|
|   |             |                       | 2.0i-L  | 2.0i-L EyeSight | 2.0i-S | 2.0i-S EyeSight | 2.5i-S EyeSight       | 2.0i-S EyeSight                         |
|   |             |                       | 2.0L Direct Injection                                     |                 |        |                 | 2.5L Direct Injection | 2.0L Direct Injection + Motor (e-BOXER) |
|   |             |                       | Lineartronic  |                 |        |                 |                       |   |
| Engine                                  |             |                       |   |                 |        |                 |                       |   |
| Type                                    |             |                       | Horizontally opposed, 4-cylinder, 4-stroke, petrol engine |                 |        |                 |                       |   |
|   |             |                       | DOHC 16-valve   |                 |        |                 |                       |   |
| Bore/Stroke                             | mm          | 84.0 × 90.0           |   |                 |        | 94.0 × 90.0     | 84.0 × 90.0           |   |
| Capacity                                | cc          | 1995                  |   |                 |        | 2498            | 1995                  |   |
| Compression ratio                       |             | 12.5                  |   |                 |        | 12.0            | 12.5                  |   |
| Fuel system                             |             | Direct fuel injection |   |                 |        |                 |                       |   |
| Fuel tank capacity                      | lit.        | 63                    |   |                 |        |                 | 48                    |   |
| Performance                             |             |                       |   |                 |        |                 |                       |   |
| Max. output (DIN)                       |             | kW (PS) /rpm          | 115 (156) / 6,000   |                 |        |                 | 136 (184) / 5,800     | 110 (150) / 6,000                       |
| Max. torque (DIN)                       |             | Nm (kgfm) /rpm        | 196 (20.0) / 4,000  |                 |        |                 | 239 (24.4) / 4,400    | 196 (20.0) / 4,000                      |
| Max. speed                              |             | km/h                  | 193   |                 |        |                 | 207                   | 188                                     |
| Acceleration (0-100 km/h)               |             | sec.                  | 10.3  |                 |        |                 | 9.5                   | 11.8                                    |
| Fuel consumption* <sup>1</sup>          | Urban       | lit./100 km           | 9.9   |                 |        |                 | 11.6                  | 7.5                                     |
|   | Extra-urban | lit./100 km           | 6.3   |                 |        |                 | 6.4                   | 6.2                                     |
|   | Combined    | lit./100 km           | 7.6   |                 |        |                 | 8.3                   | 6.7                                     |
| CO <sub>2</sub> emissions* <sup>1</sup> | Urban       | g/km                  | 229   |                 |        |                 | 270                   | 170                                     |
|   | Extra-urban | g/km                  | 146   |                 |        |                 | 148                   | 141                                     |
|   | Combined    | g/km                  | 176   |                 |        |                 | 193                   | 152                                     |
| Motor                                   |             |                       |   |                 |        |                 |                       |   |
| Type                                    |             |                       | —   |                 |        |                 |                       | Permanent magnet AC synchronous motor   |
| Max. output                             |             |                       | kW (PS)   |                 |        |                 |                       | 12.3 (16.7)                             |
| Max. torque                             |             |                       | Nm (kgfm)   |                 |        |                 |                       | 66 (6.7)                                |
| Traction Battery                        |             |                       |   |                 |        |                 |                       |   |
| Type                                    |             |                       | —   |                 |        |                 |                       | Lithium ion battery                     |
| Max. output of Motor                    |             |                       | kW  |                 |        |                 |                       | 13.5                                    |
| Voltage                                 |             |                       | V   |                 |        |                 |                       | 118.4                                   |
| Rated capacity                          |             |                       | Ah  |                 |        |                 |                       | 4.8                                     |
| Drivetrain                              |             |                       |   |                 |        |                 |                       |   |
| All-Wheel Drive type                    |             |                       | Active Torque Split AWD system                            |                 |        |                 |                       |   |

SPECIFICATIONS

| Item                                    |                        |   | Symmetrical AWD (All-Wheel Drive) |                 |                   |                 |                       |   |
|---|------------------------|---|-----------------------------------|-----------------|-------------------|-----------------|-----------------------|---|
|   |                        |   | 2.0i-L                            | 2.0i-L EyeSight | 2.0i-S            | 2.0i-S EyeSight | 2.5i-S EyeSight       | 2.0i-S EyeSight                         |
|   |                        |   | 2.0L Direct Injection             |                 |                   |                 | 2.5L Direct Injection | 2.0L Direct Injection + Motor (e-BOXER) |
|   |                        |   | Lineartronic                      |                 |                   |                 |                       |   |
| Dimensions & weight                     |                        |   |                                   |                 |                   |                 |                       |   |
| Overall length                          |                        | mm  | 4640                              |                 |                   |                 |                       |   |
| Overall width                           |                        | mm  | 1815                              |                 |                   |                 |                       |   |
| Overall height                          |                        | mm  | 1730                              |                 |                   |                 |                       |   |
| Wheelbase                               |                        | mm  | 2670                              |                 |                   |                 |                       |   |
| Track                                   | Front                  | mm  | 1565                              |                 |                   |                 |                       |   |
|   | Rear                   | mm  | 1570                              |                 |                   |                 |                       |   |
| Minimum road clearance (at kerb weight) |                        | mm  | 220                               |                 |                   |                 |                       |   |
| Cargo volume*2                          |                        | lit.  | 1775 / 1747*3                     |                 |                   |                 | 1751*3                |   |
| Seating capacity                        |                        | persons   | 5                                 |                 |                   |                 |                       |   |
| Kerb weight                             |                        | kg  | 1521                              | 1539            | 1561              | 1568            | 1592                  | 1675                                    |
| Transmission                            |                        |   |                                   |                 |                   |                 |                       |   |
| Gear ratio                              | D range (Lineartronic) |   | 3.601 – 0.513                     |                 |                   |                 |                       |   |
|   | 1st                    |   | 3.601                             |                 |                   |                 | 3.552                 |   |
|   | 2nd                    |   | 2.155                             |                 |                   | 2.323           | 1.892                 |   |
|   | 3rd                    |   | 1.514                             |                 |                   | 1.648           | 1.474                 |   |
|   | 4th                    |   | 1.092                             |                 |                   | 1.241           | 1.228                 |   |
|   | 5th                    |   | 0.843                             |                 |                   | 0.979           | 1.024                 |   |
|   | 6th                    |   | 0.667                             |                 |                   | 0.747           | 0.852                 |   |
|   | 7th                    |   | 0.557                             |                 |                   |                 | 0.682                 |   |
|   | Reverse                |   | 3.689                             |                 |                   |                 |                       |   |
| Final drive axle ratio                  |                        | 3.900   |                                   |                 |                   |                 |                       |   |
| Chassis                                 |                        |   |                                   |                 |                   |                 |                       |   |
| Steering                                |                        | Rack and pinion, electric power steering system |                                   |                 |                   |                 |                       |   |
| Suspension (4-wheel independent)        | Front                  | MacPherson strut type                           |                                   |                 |                   |                 |                       |   |
|   | Rear                   | Double wishbone type                            |                                   |                 |                   |                 |                       |   |
| Minimum turning circle at tyre (radius) |                        | m   | 5.4                               |                 |                   |                 |                       |   |
| Brakes                                  | Front                  | Ventilated disc brakes                          |                                   |                 |                   |                 |                       |   |
|   | Rear                   | Ventilated disc brakes                          |                                   |                 |                   |                 |                       |   |
| Tyre/wheel size                         |                        | 225/60R17, 17×7"J*4                             |                                   |                 | 225/55R18, 18×7"J |                 |                       |   |

\*1 Fuel consumption and CO2 emissions: according to UN R101-01.  
\*2 Measured by VDA (V214).  
\*3 Measurement with Sunroof.  
\*4 225/55R18, 18×7”J (Optional).

Vehicle kerb weight varies according to the types of optional equipment included. Specification data and model lineup may vary according to market.

STANDARD AND OPTIONAL FEATURES

| Item   | 2.0i-L                | 2.0i-L<br>EyeSight | 2.0i-S | 2.0i-S<br>EyeSight | 2.5i-S<br>EyeSight       | 2.0i-S<br>EyeSight                               |
|--|-----------------------|--------------------|--------|--------------------|--------------------------|--|
|  | 2.0L Direct Injection |                    |        |                    | 2.5L Direct<br>Injection | 2.0L Direct<br>Injection<br>+ Motor<br>(e-BOXER) |
| Exterior   |                       |                    |        |                    |                          |  |
| Auto On/Off Headlamps  | ●                     | ●                  | ●      | ●                  | ●                        | ●  |
| LED Headlamps with Manual-leveliser                                    | ●                     | —                  | —      | —                  | —                        | —  |
| LED Headlamps with Auto-leveliser                                      | —                     | ●                  | ●      | ●                  | ●                        | ●  |
| Pop-up Type Headlamp Washers   | ●                     | ●                  | ●      | ●                  | ●                        | ●  |
| LED Front Fog Lamps  | ●                     | ●                  | ●      | ●                  | ●                        | ●  |
| LED Rear Fog Lamp  | ●                     | ●                  | ●      | ●                  | ●                        | ●  |
| Power-folding Door Mirrors   | ●                     | ●                  | ●      | ●                  | ●                        | ●  |
| Privacy Glass for Rear Side Windows, Rear Quarters,<br>and Rear Window | Option                | Option             | —      | Option             | —                        | —  |
| Automatic Rain-sensing Windshield Wipers                               | ●                     | ●                  | ●      | ●                  | ●                        | ●  |
| 17-inch Aluminium-alloy Wheels (dark metallic)                         | ●                     | ●                  | —      | —                  | —                        | —  |
| 18-inch Aluminium-alloy Wheels (dark metallic), 10-spoke               | Option                | Option             | —      | —                  | —                        | —  |
| 18-inch Aluminium-alloy Wheels (dark metallic), 5-spoke                | —                     | —                  | ●      | ●                  | ●                        | ●  |
| Silver-plated Front and Rear Underguards                               | —                     | —                  | ●      | ●                  | ●                        | ●  |
| Side Claddings   | ●                     | ●                  | ●*1    | ●*1                | ●*1                      | ●*1  |
| Power-sliding, Tilt-adjustable Glass Sunroof                           | Option                | Option             | ●      | ●                  | ●                        | ●  |
| Roof Rails with Loopholes  | ●                     | ●                  | ●      | ●                  | ●                        | ●  |
| Roof Spoiler   | ●                     | ●                  | ●      | ●                  | ●                        | ●  |
| Exhaust Tip  | ●                     | ●                  | ●      | ●                  | ●                        | ●  |

Standard on all models:

- LED Rear Combination Lamps
- UV Protection Glass: Windshield and Front Side Windows
- Variable Intermittent Windshield Wipers
- Intermittent Rear Window Wiper
- Shark Fin Antenna

|   |        |   |   |   |   |   |
|---|--------|---|---|---|---|---|
| Seating / Trims   |        |   |   |   |   |   |
| Leather-wrapped Steering Wheel with Silver Stitching            | ●      | ● | ● | ● | ● | ● |
| Leather-wrapped Gearshift Knob                                  | ●      | ● | ● | ● | ● | ● |
| Standard Fabric Seats   | ●      | – | – | – | – | – |
| Leather Seats   | Option | ● | ● | ● | ● | ● |
| 6-way Manually-adjustable Driver’s Seat                         | ●      | – | – | – | – | – |
| 8-way Power-adjustable Driver’s Seat                            | Option | ● | ● | ● | ● | ● |
| Driver’s Memory Seat-linked Door Mirrors with Reverse Auto-tilt | Option | ● | ● | ● | ● | ● |
| 8-way Power-adjustable Front Passenger’s Seat                   | Option | ● | ● | ● | ● | ● |
| 60/40-split Folding Rear Seatbacks                              | ●      | ● | ● | ● | ● | ● |
| Reclining Rear Seatbacks  | ●      | ● | ● | ● | ● | ● |
| One-touch Folding Rear Seatbacks                                | ●      | ● | ● | ● | ● | ● |
| Adjustable Front Headrests                                      | ●      | ● | ● | ● | ● | ● |
| Divided Seatback Pockets (behind both front seats)              | ●      | ● | ● | ● | ● | ● |

| Item   | 2.0i-L                | 2.0i-L<br>EyeSight | 2.0i-S | 2.0i-S<br>EyeSight | 2.5i-S<br>EyeSight       | 2.0i-S<br>EyeSight                               |
|--|-----------------------|--------------------|--------|--------------------|--------------------------|--|
|  | 2.0L Direct Injection |                    |        |                    | 2.5L Direct<br>Injection | 2.0L Direct<br>Injection<br>+ Motor<br>(e-BOXER) |
| Comfort / Convenience  |                       |                    |        |                    |                          |  |
| Keyless Access with Push-button Start System                     | ●                     | ●                  | ●      | ●                  | ●                        | ●  |
| PIN Code Access  | ●                     | ●                  | ●      | ●                  | ●                        | ●  |
| Cargo Light  | ●                     | ●                  | ●      | ●                  | ●                        | ●  |
| Vanity Mirror with Cover and Lights (driver and front passenger) | ●                     | ●                  | ●      | ●                  | ●                        | ●  |
| Rear Seat Centre Armrest with 2 Cup Holders                      | ●                     | ●                  | ●      | ●                  | ●                        | ●  |
| Power Rear Gate  | Option                | ●                  | ●      | ●                  | ●                        | ●  |
| Upper Cargo Hooks (x2)   | ●                     | ●                  | ●      | ●                  | ●                        | ●  |
| Temporary Spare Tyre*2   | ●                     | ●                  | ●      | ●                  | ●                        | —  |
| Tyre Repair Kit  | —                     | —                  | —      | —                  | —                        | ●  |

Standard on all models:

- Power Windows\*3
- Remote Control Key System
- Welcome Lighting
- One-touch Lane Change Signal
- Map Lights with Overhead Console Shower Light
- Courtesy Door Lights (front)
- Centre Console Ambient Lighting
- Overhead Console Box
- Centre Console Box
- 2 Front Cup Holders (in centre console)
- Door Pockets with Bottle Holders (on all side doors)
- Three 12-volt Power Outlets (in centre panel, centre console box, and luggage space)
- Cargo Area Bag Hooks (x4)
- Cargo Net Hooks (x4)
- Retractable Cargo Cover
- Storage Box (under cargo floor)

|   |        |        |   |        |   |   |
|---|--------|--------|---|--------|---|---|
| Climate Control   |        |        |   |        |   |   |
| Dual-zone Automatic Air-conditioning System                                       | ●      | ●      | ● | ●      | ● | ● |
| Voice-controlled Air-conditioning   | Option | Option | ● | Option | ● | ● |
| Rear Ventilation System   | ●      | ●      | ● | ●      | ● | ● |
| Heated Door Mirrors   | –      | –      | – | Option | ● | ● |
| Electric Rear Window Defogger with Timer  | ●      | ●      | ● | ●      | ● | ● |
| Entertainment   |        |        |   |        |   |   |
| 6.5-inch Display*4 Audio System with 6 Speakers*5                                 | ●      | Option | – | –      | – | – |
| 8-inch Display*4 Audio System with 6 Speakers*5                                   | –      | –      | ● | Option | – | ● |
| 8-inch Display*4 Premium Audio System with 9 Harman/Kardon Speakers*5             | Option | Option | – | –      | ● | – |
| 8-inch Display*4 Premium Audio System with Navigation, 9 Harman/Kardon Speakers*5 | –      | –      | – | Option | – | – |
| Apple CarPlay*6 / Android Auto*7 Infotainment System*8                            | ●      | Option | ● | Option | ● | ● |
| Steering Wheel-mounted Audio Remote Control Switches                              | ●      | Option | ● | Option | ● | ● |
| Voice Recognition System  | ●      | Option | ● | Option | ● | ● |
| Bluetooth®*9 Audio Streaming and Hands-free Phone Connectivity                    | ●      | Option | ● | Option | ● | ● |
| USB Port and Auxiliary Audio Input Jack (in centre panel)                         | ●      | Option | – | –      | – | – |
| Dual USB Ports and Auxiliary Audio Input Jack (in centre panel)                   | Option | Option | ● | Option | ● | ● |
| Dual USB Ports behind Centre Console Box (power only)                             | ●      | ●      | ● | ●      | ● | ● |
| Control / Instruments   |        |        |   |        |   |   |
| Dual-gauge Layout with 4.2-inch Full-colour LCD Display                           | ●      | ●      | ● | ●      | ● | ● |
| 6.3-inch Multifunction Display  | ●      | ●      | ● | ●      | ● | ● |
| Tilt-adjustable / Telescopic Steering Wheel                                       | ●      | ●      | ● | ●      | ● | ● |
| Paddle Shifters   | ●      | ●      | ● | ●      | ● | ● |
| Cruise Control  | ●      | ●      | ● | ●      | ● | ● |

STANDARD AND OPTIONAL FEATURES

| Item   | 2.0i-L                | 2.0i-L<br>EyeSight | 2.0i-S | 2.0i-S<br>EyeSight | 2.5i-S<br>EyeSight       | 2.0i-S<br>EyeSight                               |
|--|-----------------------|--------------------|--------|--------------------|--------------------------|--|
|  | 2.0L Direct Injection |                    |        |                    | 2.5L Direct<br>Injection | 2.0L Direct<br>Injection<br>+ Motor<br>(e-BOXER) |
| Drivability  |                       |                    |        |                    |                          |  |
| SI-DRIVE (SUBARU Intelligent Drive)* <sup>10</sup> | ●                     | ●                  | ●      | ●                  | ●                        | ●  |
| e-Active Shift Control                             | —                     | —                  | —      | —                  | —                        | ●  |
| X-MODE   | ●                     | ●                  | —      | —                  | —                        | —  |
| Dual-function X-MODE                               | —                     | —                  | ●      | ●                  | ●                        | ●  |
| Hill Descent Control                               | ●                     | ●                  | ●      | ●                  | ●                        | ●  |
| Auto Vehicle Hold                                  | ●                     | ●                  | ●      | ●                  | ●                        | ●  |
| Auto Start Stop                                    | —                     | —                  | —      | —                  | —                        | ●  |
| Active Torque Vectoring                            | ●                     | ●                  | ●      | ●                  | ●                        | ●  |
| Electronic Parking Brake                           | ●                     | ●                  | ●      | ●                  | ●                        | ●  |

Standard on all models:  
• Vehicle Dynamics Control System • Towing Vehicle Dynamics Control System

|   |   |   |   |        |   |   |
|---|---|---|---|--------|---|---|
| EyeSight  |   |   |   |        |   |   |
| Pre-Collision Braking System  | – | ● | – | ●      | ● | ● |
| Autonomous Emergency Steering   | – | – | – | Option | ● | ● |
| Adaptive Cruise Control   | – | ● | – | ●      | ● | ● |
| Lane Centring Control and Preceding Vehicle Adaptive Steering Control | – | ● | – | ●      | ● | ● |
| Lane Departure Prevention   | – | ● | – | ●      | ● | ● |
| Pre-Collision Throttle Management                                     | – | ● | – | ●      | ● | ● |
| Lead Vehicle Start Alert  | – | ● | – | ●      | ● | ● |

|  |   |        |   |        |   |   |
|--|---|--------|---|--------|---|---|
| Safety   |   |        |   |        |   |   |
| Front SRS*11 Airbags                                   | ● | ●      | ● | ●      | ● | ● |
| Front Side SRS*11 Airbags (driver and front passenger) | ● | ●      | ● | ●      | ● | ● |
| Curtain SRS*11 Airbags (front and rear, both sides)    | ● | ●      | ● | ●      | ● | ● |
| Knee SRS*11 Airbag (driver)                            | ● | ●      | ● | ●      | ● | ● |
| Steering Responsive Headlights (SRH)                   | – | ●      | ● | ●      | ● | ● |
| Subaru Rear Vehicle Detection (SRVD)                   | – | –      | – | Option | ● | ● |
| High Beam Assist (HBA)                                 | – | –      | – | Option | ● | ● |
| Reverse Automatic Braking (RAB)                        | – | –      | – | Option | ● | ● |
| Front View Monitor                                     | – | –      | – | Option | ● | ● |
| Side View Monitor                                      | – | –      | – | Option | ● | ● |
| Rear View Camera                                       | ● | Option | ● | Option | ● | ● |
| Driver Monitoring System                               | – | –      | – | –      | – | ● |
| Seatbelt Indicator                                     | ● | ●      | ● | ●      | ● | ● |
| Rear Seat Reminder                                     | ● | ●      | ● | ●      | ● | ● |

Standard on all models:  
• Height-adjustable Seatbelt Anchors (driver and front passenger)  
• Locking-tongue Front Seatbelts with Pretensioners and Load Limiters  
• Rear 3-point Seatbelts for 3 Seating Positions • 4-wheel Antilock Braking System (ABS)  
• Brake Assist System • Brake Override • ISO-FIX Adapted Child Seat Anchors (with tether anchors)  
• Child-proof Rear Door Locks (both sides) • Engine Immobiliser

\*1 Silver-plated.  
\*2 185/65R17 tyre.  
\*3 Driver's and passenger's side front window has auto up/down function with pinch protection.  
\*4 Equipped with WVGA centre display.  
\*5 No CD player included.  
\*6 Apple CarPlay is a trademark of Apple Inc., registered in the U.S. and other countries.  
\*7 Android and Android Auto are trademarks of Google Inc.  
\*8 Apple CarPlay and/or Android Auto may not be available for all models and regions.  
\*9 Bluetooth is a registered trademark of Bluetooth SIG, Inc. America.  
\*10 Available with 2-mode SI-DRIVE (Intelligent Mode, Sport Mode).  
\*11 SRS: Supplemental Restraint System. Effective when used in conjunction with seatbelts.  
**Standard and optional features, model lineup may vary according to market.**  
**Please contact your local authorised Subaru retailer for more details.**

